

**Taxonomic Studies on the Puffers (*Tetraodontidae*, *Teleostei*) from Japan
and Adjacent Regions-VII. Concluding Remarks, with the Introduction of
Two New Genera, *Fugu* and *Boesemanichthys* (Continued from p. 97)**

Tokiharu ABE

(Tokaiku Sisan Kenkyujo, and Zool. Inst., Fac. of Sci., Tokyo Univ.)

F. References pertaining principally to lateral line

- ALLIS, E. P. Jr. 1889. The anatomy and development of the lateral line system in *Amia calva*. Journ. Morph., ii, pp. 463-566.
- 1904. The latero-sensory canals and related bones in fishes. Internat. Monatschr. f. Anat. u. Physiol., xxi, pp. 401-503. pls. 8-20.
- 1934. Concerning the course of the latero-sensory canals in recent fishes, prefishes and *Necturus*. Journ. Anat., lxviii, pp. 361-415.
- 1936. Comparison of the latero-sensory lines, the snout and the cranial roofing bones of the *Stegocephali* with those in fishes. Journ. Anat., lxx, pp. 293-316.
- BARNARD, K. H. 1925-1927. *vide ante*.
- BRIDGE, T. W. 1904. *vide ante*.
- FRASER-BRUNNER, A. 1943. *vide ante*.
- GOSLINE, W. A. 1949. The sensory canals of the head in some cyprinodont fishes, with particular reference to the genus *Fundulus*. Occ. Pap. Mus. Zool., Univ. Michigan, no. 519, June 24, 1949, 18 pp., 2 pls.
- HOLMGREN, N. 1942. General morphology of the lateral sensory line system of the head in fish. K. Svenska Vetenskapsakad. Handl., (3), xx, no. 1, pp. 1-46.
- and FEHRSON, T. 1949. Some remarks on the ontogenetical development of the sensory lines on the cheek in fishes and amphibians. Acta Zoologica, xxx, pp. 249-314. Not seen in the original.
- JORDAN, D. S. and SNYDER, J. O. 1901g. *vide ante*.
- MOODIE, R. L. 1922. The influence of the lateral line system on the peripheral osseous elements of fishes and Amphibia. Journ. Comp. Neurol., xxxiv, pp. 319-335.
- PLATE, L. 1924. Allgemeine Zoologie und Abstammungslehre, 2 Teil. Die Sinnesorgane der Tiere, ix+806 pp. Jena.
- REGAN, C. T. and TREWAVAS, E. 1932. Deep-sea angler-fish (*Ceratoidea*). The Carlsberg Foundation's Oceanographical Expedition round the world 1928-30 under the leadership of Professor Johannes SCHMIDT. Rep. no. 2, 113 pp., 10 pls.
- ROMER, A. S. 1949. *vide ante*.
- SAND, A. 1937. The mechanism of the lateral sense organ of fishes. Proc. Roy. Soc. London, B, cxxiii, pp. 472-495, pls. 19-22.
- STENSIÖ, E. A. 1947. The sensory line and dermal bones of the cheek in fishes and amphibians. K. Svenska Vetenskapsakad. Handl., (3) xxiv, no. 3, pp. 1-195.
- TRETYAKOV, D. 1938. Seismosensory canals on the head of *Clupeidae*. Zoologicheskii Zhurnal (Zool. Journ.) (USSR), xvii, pp. 763-776. Not seen in the original.
- 1944. Outlines of the phylogeny of fishes. 176 pp. Acad. Sci. U. R. S. S. Not seen in the original.
- WCHLFAHRT, T. A. 1937. Anatomische Untersuchungen über die Seitenkanäle der Sardine (*Clupea pilchardus* WALB.). Zeitschr. Morph. u. Ökolog. d. Tiere, xxxiii, pp. 381-411.

G. References pertaining principally to nasal organ

- ALLIS, E. P. Jr. 1919. The lips and nasal apertures in the gnathostome fishes. *Journ. Morph.*, xxxii, pt. 1, pp. 145-205.
- 1932. Concerning the nasal apertures, the lachrymal canal and the bucco-pharyngeal upper lip. *Journ. Anat.*, lxvi, pp. 650-658.
- BARNARD, K. H. 1925-1927. *vide ante*.
- BAGLIONI, S. 1912. Die niederen Sinne. In WINTERSTEIN's Handbuch der vergleichenden Physiologie, iv, pp. 520-554. Jena.
- COPEYLAND, M. 1912. The olfactory reactions of the puffer or swellfish *Spherooides maculatus* (BLOCH et SCHNEIDER). *Journ. Exp. Zool.*, xii, 363-368.
- DUNCKER, G. and MOHR, E. 1931. Die Fische der Südsee-Expedition der Hamburgischen Wissenschaftlichen Stiftung 1908-1909. Teil 3. *Mitt. zool. Mus. Hamburg*, xliv, 1931, pp. 57-84. Not seen in the original.
- FRASER-BRUNNER, A. 1943. *vide ante*.
- KEIBEL, F. 1893. Zur Entwicklungsgeschichte und vergleichenden Anatomie der Nase und des oberen Mundrandes (Oberlippe) bei Vertebraten. *Anat. Anz.*, viii, pp. 473-487.
- MARSHALL, A. M. 1879. The morphology of the vertebrate olfactory organ. *Quart. Journ. Microsc. Sci.*, xix (n. s.), pp. 300-340, pls. 13 and 14.
- MATTHES, E. 1934. Geruchsorgan. In Handb. d. vergl. Anat. Wirbelt., herausgegeben von L. BOLK; E. GÖPPERT; E. KALLIUS u. W. LUBOSCH, ii, pp. 879-948. Berlin and Wien.
- PARKER, G. H. 1910. Olfactory reactions in fishes. *Journ. Exp. Zool.*, viii, pp. 535-542.
- 1911. The olfactory reactions of the common killifish, *Fundulus heteroclitus* (LINN.). *Journ. Exp. Zool.*, x, pp. 1-5.
- and SHELDON, R. E. 1913 (1912). The sense of smell in fishes. *Bull. Bur. Fisher.*, xxxii, pp. 33-46.
- PLATE, L. 1924. *vide ante*.
- SHELDON, R. E. 1911. The sense of smell in selachians. *Journ. Exp. Zool.*, x, pp. 51-62.
- SOUCHÉ, G. 1932. Contribution à l'étude anatomique et comparative du muscle ptérygo-maxillaire chez les poissons osseux. *Bull. Stat. Biol. Arcachon*, xxix, pp. 41-82.
- WIEDERSHEIM, R. 1887. Das Geruchsorgan der Tetrodonten nebst Bemerkungen über die Hautmuskulatur derselben. Fest-Schrift Albert v. KÖLLIKER zur Feier seines siebenzigsten Geburtstages gewidmet von seinen Schülern, pp. 73-84.
- 1887a. Über rudimentäre Fischnasen. *Anat. Anz.*, ii, pp. 652-657.
- 1893. Grundriss der vergleichenden Anatomie der Wirbelthiere, 3 Aufl., xx+695 pp. Jena.

H. References pertaining principally to air-bladder

- BRIDGE, T. W. 1904. *vide ante*.
- KNER, R. 1865. *vide TANAKA*, 1931, p. 78.
- MATSUBARA, K. 1943. *vide ABE*, 1944, p. 234.
- WASSNETZOV, W. 1932. Über die Morphologie der Schwimmblase. *Zool. Jahrb.*, Abt. Anat. u. Ontog. Tiere, lvi, pp. 1-36.

I. References pertaining principally to coloration

- BALLOWITZ, E. 1912. Über chromatische Organe in der Haut von Knochenfischen. *Anat. Anz.*, xlvi, pp. 186-190, pls. 1 and 2.

- BALLOWITZ, E. 1913. Über schwarz-rote und sternförmige Farbzellenkombinationen in der Haut der Gobiiden. *Zeitschr. wiss. Zool.*, cvi, pp. 527-593, pls. 8-12.
- BANCROFT, F. 1912. Heredity of pigmentation in *Fundulus* hybrids. *Journ. Exp. Zool.*, xii, pp. 153-178.
- CUNNINGHAM, J. T. and MACMUNN, C. A. 1893. On the coloration of the skins of fishes, especially of *Pleuronectidae*. *Phil. Trans. Roy. Soc. Lond.*, B clxxxiv, pp. 765-812, pls. 53-55.
- FONTAINE, M. 1941. Recherches sur quelque pigments sériques et dermiques de poissons marins (Labridés et Cyloptéridés). *Bull. l'Inst. Océanogr. Monaco*, no. 792, pp. 1-5.
- 1941a. A propos du pigment vert de l'orphie (*Belone belone* L.). *Bull. l'Inst. Océanogr. Monaco*, no. 793, pp. 1-3.
- and BUSNEL, R. G. 1939. Nouvelles recherches sur la répartition flavins et quelques autres pigments fluorescents dans la peau et les yeux des Téléostéens. *Bull. l'Inst. Océanogr. Monaco*, no. 782, pp. 1-18.
- FOSTER, K. W. 1933. Color changes in *Fundulus* with special reference to the color changes of the iridocytes. *Proc. Nat. Acad. Sci., U.S.A.* xix, pp. 535-540.
- GINSBERG, J. 1929. Zur Kenntniss der Guanophoren und Melanophoren. *Zool. Jahrb., Abt. Anat. Ontog. Tiere*, li, pp. 227-260, pl. 8.
- GOODRICH, H. B. and HEDENBURG, M. 1941. The cellular basis of colors in some Bermuda parrot fish with special reference to blue pigment. *Journ. Morph.*, lxviii, pp. 493-502, including 2 pls.
- JORDAN, D. S. and SNYDER, J. O. 1901g. *vide ante*.
- JOST, F. 1926. Farbzellen und Farbzellvereinigungen in der Haut des Nordseefisches *Callionymus lyra* L. *Zeitschr. mikr.-anat. Forsch.*, vii, pp. 461-502, pl. 5.
- KUNTZ, A. 1917. The histological basis of adaptive shades and colors in the flounder *Paralichthys albiguttatus*. *Bull. Eur. Fisher.*, xxxv, pp. 1-30, pls. 1 and 2.
- MEYER, E. 1931. Versuche über der Farbwechsel von *Gobius* und *Pleuronectes*. *Zool. Jahrb. Abt. allg. Zool. Physiol. Tiere*, xlix, pp. 231-270, pls. 7-9.
- MILLER, R. and KENNEDY, W. 1946. Color change in a sculpin. *Copeia*, 1946, p. 100.
- MILLOT, J. 1923. Le pigment purique chez les vertébrés inférieurs. *Bull. Biol. France et Belgique*, lvii, pp. 261-363, pls. 9-12.
- MOENKHAUS, W. J. 1894. *vide ABE*, 1944, p. 234.
- PARKER, G. H. 1939. Chromatophores. *Biol. Rev.*, v, pp. 59-90.
- 1943. Animal color changes and their neurohumors. *Quart. Rev. Biol.*, xviii, pp. 205-227.
- SCHNAKENBECK, W. 1922. Zur Analyse der Rassenmerkmale der Axolotl. II. Die Entstehung und das Schicksal der epidermalen Pigment-träger. *Zeitschr. indukt. Abstamm. u. Vererbungsl.*, xxvii, pp. 178-226.
- 1925. Vergleichende Untersuchungen über die Pigmentierung mariner Fische. *Zeitschr. f. mikr.-anat. Forsch.*, iv, pp. 203-289, pl. 4.
- SCHWANOWITSCH, B. N. 1929. Evolution of the wing-pattern in palaearctic *Satyridae*. I. Genera *Satyrus* and *Oeneis*. *Zeitschr. Morphol. Oekol.*, xiii, pp. 559-654, pls. 1-7.
- 1931. Evolution of the wing-pattern in palaearctic *Satyridae*. II. Genus *Melanagria*. *Zeitschr. Morphol. Oekol.*, xxi, pp. 316-408, pls. 1-4.
- SMITH, D. C. 1933. Color changes in the isolated scale iridocytes of the squirrel fish, *Holocentrus ascensionis*. *Proc. Nat. Acad. Sci., U.S.A.* xix, pp. 885-892.
- and SMITH, M. T. 1935. Observations on the color charges and isolated scale erythrophores of the squirrel fish, *Holocentrus ascensionis* (OSPECK). *Biol. Bull.*, lxviii, pp. 131-159.
- TAVOLGA, W. N. 1950. Pattern variability among populations of the gobiid fish, *Bathygobius soporator*.

- Copeia, 1950, no. 3, pp. 182-194.
- TEMMINCK, C. J. and SCHLEGEL, H. 1850. *vide* TANAKA, 1931, p. 88.
- TOWNSEND, C. H. 1929. Records of changes in color among fishes. *Zoologica*, ix, no. 9, 321-378. Not seen in the original.
- UCHIDA, K. 1929. The formation and classification of the color pattern in fishes. *Dobutsugaku Zasshi* [Zool. Mag. (Tokyo)], xl, no. 482, pp. 496-498. In Japanese.
- VERNE, J. 1926. Les pigments dans l'organisme animal, vii+603 pp. Paris.
- WERNER, F. 1892. Untersuchungen über die Zeichnung der Wirbeltiere. *Zool. Jahrb., Abt. Syst. Geogr. u. Biol.*, vi, pp. 155-229.

J. References pertaining principally to swelling

- BREDER, C. M. Jr. and CLARK, E. 1947. *vide* ABE, 1950-1951, p. 198.
- CLARK, E. 1947. Notes on the inflating power of the swell shark, *Cephaloscyllium uter*. *Copeia*, 1947, no. 4, pp. 278-280.
- FRASER-BRUNNER, A. 1941. Notes on the Plectognath fishes.-VI. A synopsis of the genera of the family *Aluteridae*, and description of seven new species. *Ann. Mag. Nat. Hist.*, ser. 11, viii, pp. 176-199.
- GABRIEL, M. L. 1940. The inflating mechanism of *Spherooides maculatus*. *Biol. Bull.*, lxxix, p. 372.
- GÖPPERT, E. 1895. Untersuchungen zur Morphologie der Fischrippe. *Morphol. Jahrb.*, xxiii, pp. 145-217, pls. 13-16.
- JORDAN, D. S. 1905. A guide to the study of fishes, vol. 1, xxvi+624 pp. New York.
- and SEALE, A. 1906 (1905). *vide* ABE, 1949b, p. 135.
- MIURA, T. 1942. Gyo-so, 3+290 pp. Tokyo. In Japanese.
- PARR, A. E. 1927. *vide ante*.
- ROSÉN, N. 1913. Studies on the Plectognaths. 2. The air-sac, with notes on other parts of the intestine. *Ark. för Zool.*, vii, no. 30, 23 pp., 2 pls.
- TANAKA, 1912. On a habit of a puffer. *Zool. Mag. (Tokyo)*, xxiv, pp. 362 and 363. In Japanese.
- 1912. Again on a puffer. *Zool. Mag. (Tokyo)*, xxiv, pp. 591 and 592. In Japanese.
- THILO, O. 1899. Die Entstehung der Luftsäcke bei den Kugelfischen. *Anat. Anz.*, xvi, pp. 73-87, pls. 1 and 2.
- 1914. *vide* ABE, 1942, p. 495.
- YOSHIZAWA, S. 1890. Fugu no fukureru kikan. *Zool. Mag. (Tokyo)*, ii, p. 363. In Japanese.

K. References pertaining principally to toxicity

- CALMETTE, A. 1908. Venoms (venomous animals and antivenomous serum-therapeutics), xvi+403 pp. (Engl. ed. transl. by E. E. AUSTEN.) London.
- COHEN, S.; JAMES, T. E. and GOSS, C. C. 1946. Poisoning by barracuda-like fish in the Marianas. U. S. Naval Med. Bull., xlvi, pp. 311-317. Not seen in the original.
- FAUST, E. S. 1906. Die tierischen Gifte, xiv+248 pp. Braunschweig.
- HALSTEAD, B. W. 1951. Poisonous fish -- a medical-military problem. Research Reviews, June 1951, Office of Naval Research, Dept. of Navy, pp. 10-16.
- HASHIMOTO, Y. 1950. On the toxicity of a puffer, "Nashi fugu" (*Sphoeroides vermicularis radiatus*). *Bull. Japan. Soc. Sci. Fisher.*, xvi, pp. 43-45. In Japanese, with summary in English.
- HERRE, A. W. *vide* ABE, 1949b, p. 134.
- HIRANO, N. 1943. Physico-chemical studies on the fugu-toxin. *Igaku to Seibutsugaku*, iv, no. 1, pp. 51-54. In Japanese.

- HIYAMA, Y. 1943. Nanyo yudoku gyorui chōsa hōkoku, 2+2+137+iii pp., 29 pls.+10 pp. Tokyo. In Japanese.
- HOFFMANN, C. 1950. Beiträge zur Kenntnis der Wirkung von Giften auf marine Organismen. Kieler Meerestorsch., vii, pp. 38-52.
- ISHIHARA, F. 1924. Studien über das fugutoxin. Arch. exp. Pathol. u. Pharmakol., ciii, pp. 209-222.
- IWAKAWA, K. and KIMURA, S. 1922. Experimentelle Untersuchungen über die Wirkung des Tetrodotoxins ("Fugugift"). Arch. exp. Pathol. u. Pharmakol., xciii, pp. 305-331.
- JORDAN, D. S. 1905. *vide ante*.
- KANAYAMA, S. 1943. Purification of fugu-toxin, and notes on some of its characteristics. Fukuoka Igaku Zasshi, xxxvi, no. 4, pp. 395-401. In Japanese.
- LARSEN, N. P. 1942. Tetrodon poisoning in Hawaii. Proc. Sixth Pacific Sci. Congr., v, pp. 417-421. Not seen in the original.
- PAWLOWSKY, E. N. 1927. Gifttiere und ihre Giftigkeit, xvi+516 pp. Jena.
- SEALE, A. 1912. Some poisonous Philippine fishes. Philip. Journ. Sci., D, vii, pp. 289-291
- SUYEHIRO, Y. 1947. Gyori seirigaku no jissai, 4+180+2 pp. Tokyo. In Japanese.
- TAHARA, Y. 1909. Fugudoku kenkyū hokoku, Tokyo Kagaku Kai Shi, xxx, pp. 121-173. In Japanese.
- 1909a. Fugudoku kenkyū hokoku. Yakugaku Zasshi, no. 328, pp. 587-625. In Japanese.
- 1910. Über das Tetrodongift. Biochem. Zeitschr., xxx, pp. 255-275.
- TAKAHASHI, D. 1893. On the Tetrodotoxin. Zool. Mag. (Tokyo), v, pp. 227-230, 260-273, 363-372. In Japanese.
- and INOKO, Y. 1890. Experimentelle Untersuchungen über das Fugugift. Arch. exp. Pathol. u. Pharmakol., xxvi, pp. 401-418.
- 1890a. Weitere Untersuchungen über das Fugugift, Arch. exp. Pathol. u. Pharmakol., xxvi, pp. 453-458.
- 1892. *vide ABE*, 1949b, p. 137.
- 1892a. Experimental investigations on the toxic substance in the body of *Tetraodontidae*. Chugai Iji Shimpo, no. 283, pp. 5-11, no. 284, pp. 12-16, no. 285, pp. 18-20. In Japanese.
- TANI, I. 1940. Seasonal and individual variation of the toxicity of globefishes. Nihon Yakubutsugaku Zasshi, xxix, nos. 1 and 2, pp. 1-3. In Japanese.
- 1945. *vide ABE*, 1949b, p. 137.
- WHITLEY, G. P. 1943. Poisonous and harmful fishes. C. S. I. R., Australia, Bull. no. 159 (Div. Fisher. Rep. no. 10), 28 pp., 3 pls.
- YUDKIN, W. H. 1944. Tetrodon poisoning. Bull. Bingham Oceanogr. Collection, ix, art. 1, 18 pp.

L. References pertaining principally to habitat and distribution range

- ABE, 1949b. *vide ante*.
- ANDRIASHEV, A. P. 1939. The fishes of the Bering Sea and neighbouring waters, its origin and zoogeography, 187 pp. In Russian, with summary in English. Leningrad.
- 1939a. On the amphipacific (Japan-Oregonian) distribution of sea-fauna in the northern part of the Pacific Ocean. Zoologicheskii Jurnal, xviii, pp. 181-195. In Russian, with summary in English.
- BERG, L. S. 1935. Rezente Klimaschwankungen und ihr Einfluss auf die geographische Verbreitung der Seefische. Zoogeographica, iii. Not seen in the original.
- EKMAN, S. 1935. Tiergeographie des Meeres, xii+542 pp. Leipzig. Not seen in the original.
- HESSE, R. 1924. Tiergeographie auf Ökologischer Grundlage, xii+613 pp. Jena.
- , ALEE W. C. and SCHMIDT, K. P. 1937. Ecological animal geography, xiv+597 pp. New York.

- KALELA, O. 1914. Zur Frage der Ausbreitungstendenz der Tiere. Ann. Zool. Soc. Zool. Bot. Fenniae, Vanamo, x, no. 3, pp. 1-23.
- KYLE, H. M. 1926. The biology of fishes, xvi+396 pp. London.
- MACFARLANE, J. M. 1923. The evolution and distribution of fishes, iv+564 pp. New York.
- MEEK, A. 1916. The migration of fish, xix+427 pp. London.
- ORTMAN, A. E. 1896. Grundzüge der marinen Tiergeographie, iv+96 pp. Not seen in the original.
- RUSSELL, E. S. 1937. Fish migrations. Biol. Rev., xii, pp. 320-337.
- SCHEURING, L. 1929, 1930. Die Wanderungen der Fische. Ergebnisse der Biologie, v, pp. 405-691 (1929), vi, pp. 4-304 (1930)
- UBISCH, L. von. 1928. Tiergeographie und Kontinentalverschiebung. Z. indukt. Abstam.- u. Vererbungsl., xlvi, pp. 159-179.

M. References pertaining principally to life history

- ABE, T. 1939. *vide* ABE, 1949b. p. 131.
- 1942. //
- 1950. Fugu no hanashi. (On puffers). Tsuribito, v, no. 12, pp. 27-28. In Japanese.
- 1951-1952. *vide ante*.
- BLANCO, G. J. and VILLADOLID, D. V. 1951. The young of some fishes of Luzon. The Philippine Journal of Fisheries. i, no. 1, pp. 67-93.
- MUNRO, I. S. R. 1945. Postlarval stages of Australian fishes- No. 1. Mem. Queensland Mus., xii, pt. 3, pp. 136-153.
- NAKAMURA, S. 1935. On the young stages of the littoral fishes appearing near Kominato (Chiba Prefecture, Japan).-VIII. Yoshoku Kai Shi, v, pp. 35-44, figs. 39-49. In Japanese.
- UCHIDA, K. 1950. *vide ante*.
- WELSCH, W. W. and BREDER, C. M. Jr. 1922. A contribution of the life history of the puffer, *Sphoeroides maculatus* (SCHNEIDER). Zoologica, ii, pp. 261-276. Not seen in the original.

N. Miscellaneous scientific publications on puffers

- BAL, D. W. 1937. Studies in Indian puffers or globe fishes. III. The nervous system of *Tetronotus oblongus* BLOCH. Journ. Univ. Bombay, v, no. 5, pp. 44-57.
- BREDER, C. M., Jr. and CLARK, E. 1947. *vide* ABE, 1950-1951, p. 198.
- CLARK, E. 1950. Notes on the behavior and morphology of West Indian plectognath fishes. Zoologica, xxxv, no. 13, pp. 159-168.
- GEGENFAUR, C. 1901. Vergleichende Anatomie der Wirbeltiere, ii, p. 229. (On gills.)
- GREGORY, W. K. 1926-1931. Studies on the body-forms of fishes. Zoologica, viii, pp. 325-421.
- 1935. The pelvis from fish to man: a study in paleomorphology. Amer. Nat., lxix, no. 722, pp. 193-210.
- HOLLARD, H. 1857. *vide ante*. (On muscles.)
- KASCHKAROFF, D. N. 1914 (1913). *vide ante*. (On muscles.)
- PARR, A. E. 1927. *vide ante*. (On muscles.)
- ROSÉN, N. 1912. Studies on the Plectognaths. 1. The blood-vascular system. Ark för Zool., vii, no. 25, 24 pp., 2 pls.
- 1913b. Studies on the Plectognaths. 4. The body-muscles. Ark. för Zool., viii, no. 18, 14 pp., 5 pls.
- SILVESTER, C. F. 1905 (1904). The blood-vascular system of the tile-fish, *Lopholatilus chamaelonticeps*. Bull. Bur. Fish., xxiv, pp. 87-114, 1 pl. (On *Sphoeroides maculatus*, p. 94.)
- SOUCHÉ, G. 1932. *vide ante*.

ADDITIONS

The following should be added to the 11th line from the top of p. 43 between "Tetraodon." and "In *Ch. patoca*": In one of the skulls of *B. firmamentum* the outer end of the prominent ridge of the frontal is far behind in position, meeting the joint with the postfrontal (Fig. 3).

The following should be added between the 8th and 9th lines from the top of p. 95:

EATON, T. H. 1945. Skeletal supports of the median fins of fishes. Journ. Morph., lxxvi pp. 183-212.

Not seen in the original.

The following should be added between the 21st and 22nd lines from the top of p. 95:

ALLIS, E. P. Jr. 1928. Concerning the homologies of the hyomandibula and preoperculum. Journ. Anat., lxii, pp. 198-220.

The following should be added between the 23rd and 24th lines from the top of p. 95:

ARSUFFI, E. 1939. Beiträge zur vergleichenden Histologie und Histogenese der Zähne (Untersuchungen am Gebiss von *Labridae, Sparidae* und *Gymnodontes*). Zeitschr. Zellforsch. u. mikrosk. Anat., Abt. A, allg. Zellforsch. u. mikrosk. Anat., xxix, pp. 670-693.

The following should be added between the 3rd and 4th lines from the top of p. 96:

GOODRICH, E. S. 1906. Notes on the development, structure, and origin of the median and paired fins of fish. Quart. Journ. Microsc. Sci., i, pt. 2, pp. 333-376, pls. 10-14.

The following should be added between the 15th and 16th lines from the top of p. 96:

HOLMGREN, N. 1943. Studies on the head of fishes. Pt. IV. General morphology of the head in fishes. Acta Zool. Stockholm, xxiv, pp. 1-188. Not seen in the original.

— and STENSIÖ, E. 1936. Kranium und Visceralskelett der Akranier, Cyclostomen und Fische. In Handb. vergl. Anat. herausgegeben von L. BOLKE; E. GÖPPERT; E. KALLIUS und W. LUEOSCH, Bd. iv (xii+1016 pp.), pp. 233-500.

HOWELL, A. B. 1933. The architecture of the pectoral appendage of the codfish. Anat. Rec., liv, pp. 151-158.

— 1933a. Homology of the paired fins in fishes. Journ. Morph., lvi pp. 451-457.

The following should be added between the 3rd and 4th line from the bottom of p. 96:

SHANN, E. W. 1919. The comparative myology of the shoulder-girdle and pectoral fin in fishes. Trans. Roy. Soc. Edinburgh, lli, pt. 3, pp. 531-570.

The following should be added between the 6th and 7th lines from the bottom of p. 97:

TRETYAKOV, D. K. 1936. Histologie der Fischschuppen. Arch. Russ. Anat. Hist. Emb. xv, pp. 89-104, 174-178. Not seen in the original.

The following should be added below the last line of p. 122:

References pertaining principally to the phylogeny of puffers, speciation and evolution

ALLEN, J. A. 1877. (1906). The influence of physical conditions in the genesis of species. Radical Review, (1877), pp. 108-140. Not seen in the original. Reprinted, with notes and bracketed additions by the author in Ann. Rep. Smiths. Inst. (1905), pp. 375-402.

ANDERSON, E. 1949. Introgressive hybridization, ix+109 pp. New York and London.

ARLDT, TH. 1921. Handbuch der palaeogeographie, ii, xix+ (681~1647) pp. Leipzig.

BATESON, W. 1890. On some cases of abnormal repetition of parts in animals. Proc. Zool. Soc. London.

- 1890, pp. 579-588.
- 1894. *vide ABE*, 1942, p. 493.
- BATHER, F. A. 1927. Biological classification past and future. Quart. Journ. Geol. Soc., lxxxiii, pt. 2, pp. lvii-civ.
- BAILEY, R. M. and LAGLER, K. F. 1938. An analysis of hybridization in a population of stunted sunfishes in New York. Pap. Mich. Acad. Sci. Art. Lett., 1937, xxiii, pp. 577-606.
- BERG, L. S. 1926. *vide ABE*, 1944, p. 233.
- BERGMAN, E. 1847. Über die Verhältnisse der Wärmeökologie der Thiere zu ihrer Grösse. Göttinger Studien, 1 Abt., pp. 595-708. Not seen in the original.
- BJERKAN, P. 1929. On the validity of the "race characters" of the food-fishes. Rapp. Proc.-Verb. Cons. Perm. Intern. Expl. Mer, liv, pp. 73-77.
- BORODIN, N. A. 1927. Changes of environment as cause of the origin of species or subspecies. Amer. Nat., lxi, pp. 266-271.
- BOYCOTT, A. E.; DIVER, C., et al. 1930. The inheritance of sinistrality in *Limnaea peregra*. Phil. Trans. Roy. Soc. London, ccix, B, pp 51-131, 1 pl.
- BREDER, C. M. Jr. 1943. Apparent changes in phenotypic ratios of the characins at the type locality of *Anoplychthys jordani* HUBBS and INNES. Copeia, 1943, no.1, pp. 26-36.
- and CLARK, E. 1947. *vide ABE*, 1950-1951, p. 198.
- BREIDE, H. 1935. Genetische Analyse von Artmerkmalen geographisch vikariirenden Arten der Gattung *Limia*. Zeitchr. indukt. Abstamm. u. Vererb., lxx. pp. 484-488.
- CARL, J. 1940. Notes faunistiques. C. R. Soc. Phys. Hist. Nat. Genève, lvii, no. 2, pp. 95-96.
- COLE, L. J. 1941. Each after his kind. Sci., cxiii, pp. 289-293.
- CRAMPTON H. E. 1916. Studies on the variation, distribution, and evolution of the genus *Partula*. The species inhabiting Tahiti. Carnegie Inst. Washington, Publ. ccxxviii, 311 pp. Not seen in the original.
- 1932. Studies on the variation, distribution, and evolution of the genus *Partula*. The species inhabiting Morea. Carnegie Inst. Washington, Publ. cdx, 335 pp. Not seen in the original.
- DARESTE, C. 1850. *vide ante*.
- DARWIN, C. 1859. *vide ABE*, 1942, p. 493
- DETLEFSEN, J. A. 1925. The inheritance of acquired characters. Physiol. Rev., v, pp 244-278.
- DOBZHANSKY, TH. 1933. Geographical variation in lady-beetle. Amer. Nat., lxvii, pp. 97-126.
- 1937. *vide ABE*, 1942, p. 493.
- DUNCKER, G. 1895. Variation und Verwandschaft von *Pleuronectes flessus* L. und. *Pl. platesse* L., untersucht mittelst HEINCKE's chen Methode. Wiss. Meeresunters. Comm. wiss. Unters. deutsch. Meer. Kiel. Biol. Anstalt. Helgoland, N. F. i, Heft 2, pp. 47-103.
- EGE, V. 1930. Contribution to the knowledge of the North Atlantic and the Mediterranean species of the genus *Paralepis* Cuv. A systematical and biological investigations. Rept. Danish Oceanogr. Exped. 1908-10 to Mediterranean and adjacent seas, ii, A. 13, pp. 1-201.
- "Evolution". 1947-1951. Published by the Society for the Study of Evolution, U. S. A.
- FAGE, L. 1909. Etude de la variation chez le rouget (*Mullus barbatus* L., *M. surmuletus* L.) Arch. Zool. Expér. Génér. 5e sér., pp. 389-445, pl. 9.
- 1920. *Engraulidae, Clupeidae*. Rept. Danish Oceanogr. Exped. 1908-10 to Mediterranean and adjacent seas, ii, Biol., A. 9, pp. 1-140.
- FISHER, R. A. 1930. *vide ABE*, 1942, p. 493.
- FRASER-BRUNNER, A. 1943. *vide ante*.
- GINSBURG, I. 1938. Arithmetical definition of the species, subspecies and race concept, with a proposal

- for a modified nomenclature, containing a simple method for comparison of related populations. *Zoologica*, xxiii, no. 13, pp. 252-286.
- GOLDSCHMIDT, R. 1940. The material basis of evolution, 436 pp. New Haven. Not seen in the original.
- 1946. An empirical evolutionary generalization viewed from the standpoint of phenogenetics. *Amer. Nat.*, lxxx, pp. 305-317. Not seen in the original.
- GORDON, M. 1947. Speciation in fishes. *Advances in Genetics*, i, pp. 95-132.
- GULIC, T. 1905. Evolution, racial and habitudinal. Carnegie Inst. Washington, Publ., xxv, 269 pp., 5 pls. Not seen in the original.
- GUNTER, G. 1943. A dumpy croaker, *Micropogon undulatus* (L.), and its significance with respect to rapid species change. *Copeia*, 1943, pp. 52-53.
- HALDANE, J. B. S. 1929. The species problem in the light of genetics. *Nature*, cxxiv, pp. 514-516.
- 1932. The causes of evolution. London. Not seen in the original.
- HERTWIG, P. 1936. Artbastarde bei Tieren. Handbuch der Vererbungslehre, ii, Lief. 21, 140 pp. Not seen in the original.
- HESSE, R. 1924. *vide ante*.
- HINTON, M. A. C. et al. A discussion on "subspecies and varieties". *Proc. Linn. Soc. London*, 5 April, 1939, pp. 89-114.
- HUBBS, C. L. 1918. The fishes of the genus *Atherinops*, their variation, distribution, relationships, and history. *Bull. Amer. Mus. Nat. Hist.*, xxviii, pp. 409-440.
- 1926. The supposed intergradation of the two species of *Sebastolobus* (a genus of scorpaenid fishes) of western America. *Amer. Mus. Novitates*, no. 261, May 15, 1926, 9 pp.
- 1940. Speciation in fishes. *Amer. Nat.*, lxxiv, pp. 198-211.
- and HUBBS, L. C. 1932. Apparent parthenogenesis in nature, in a form of hybrid origin. *Sci.*, lxxvi, pp. 628-630.
- HUBBS, C. L. and KURONUMA, K. 1942. Hybridization in nature between two genera of flounders in Japan. *Pap. Mich. Acad. Sci. Art. Lett.*, xxvii, 1941, pp. 267-306, pls. 1-4.
- HUXLEY, J. S. 1938. Clines: an auxiliary taxonomic principle. *Nature*, cxlii, pp. 219-220.
- et al. 1941. The new systematics. London. Not seen in the original.
- JENSEN, A. J. C. 1949. Fluctuations in the racial characters of the plaice and the dab. *Journ. Cons. Perm. Intern. Expl. Mer*, xiv, pp. 370-384.
- JEPSEN, G. L.; MAYR, E. and SIMPSON, G. G. Eds. 1949. Genetics, paleontology and evolution, 474 pp. Princeton Univ. Press. Not seen in the original.
- JORDAN, K. 1905. Der Gengensatz zwischen geographischer und nicht-geographischer Variation. *Zeitschr. wiss. Biol.*, lxxxiii, pp. 151-210.
- JOHNSON, S. 1936. *vide ABE*, 1942, p. 494.
- KASCHKAROFF, D. N. 1914 (1913). *vide ante*.
- KINSEY, A. C. 1936. The origin of higher categories in *Cynips*. *Indiana Univ. Publ., Sci. Ser.*, iv, pp. 1-334. Not seen in the original.
- 1937. An evolutionary analysis of insular and continental species. *Proc. Nat. Acad. Sci., U. S. A.*, xxiii, pp. 5-11.
- LAGLER, K. F. and BAILEY, R. M. 1947. The genetic fixicity of differential characters in subspecies of the percoid fish, *Boleosoma nigrum*. *Copeia*, 1947, no. 1, pp. 50-59.
- LEINER, M. 1934. Die drei europäischen Stichlinge (*Gasterosteus aculeatus* L., *G. pungitius* und *G. spinachia* L.) und ihre Kreuzungsprodukte. *Zeitschr. wiss. Biol., Abt. A. Z. f. Morph. Ökolog.*, xxviii, pp. 107-154.

- LÖNNBERG, E. 1932. Some remarks on the relict forms of *Cottus quadricornis* L. in Swedish freshwater lakes. *Ark. för Zool.*, xxiv A, no. 7, pp. 1-23, 1 pl.
- 1934. Notes on the hybrid between the bleak, *Alburnus alburnus* L., and the roach, *Leuciscus rutilus* L. *Ark. för Zool.*, xxvi, no. 14, pp. 1-7.
- MATTHEW, W. D. 1939 (1915). Climate and evolution, 2nd ed., revised and enlarged. Special Publ. New York Acad. Sci., i, pp. 1-xii, 1-223
- MAYR, E. 1942. (1947). Systematics and the origin of species from the view point of a zoologist, xiv+334 pp. Columbia Univ. Press. (3rd print.) Not seen in the original.
- MILLER, A. H. 1940. Structural modification in the Hawaiian goose (*Nesochen sandvicensis*). A study in adaptive evolution. *Univ. Calif. Publ. in Zool.*, xlii, pp. 1-80.
- 1941. Speciation in the avian genus *Junco*. *Univ. Calif. Publ. in Zool.*, xliv, no. 3. pp. 173-434.
- MORGAN, T. H.; ERIGGS, C. B. and STURTEVANT, A. H. 1925. The genetics of *Drosophila*. *Bibl. Genetica*, ii, pp. 1-262, 6 pls.
- NEEOURS, R. 1929. The genetics of the *Tettigidae* (grcuse locusts). *Bibl. Genetica*, v, pp. 27-104, 4 pls.
- NORMAN, J. R. 1931. A history of fishes, xv+463 pp., 9 pls. London.
- PARR, A. E. 1932 (1931). *vide ABE*, 1944, p. 234.
- PEARL, R. 1930. Requirements of a proof that natural selection has altered race. *Scientia*. xlvii, pp. 175-186. Not seen in the original.
- PELENER, P. 1920. Les variations et leur hérédité chez les mollusques. *Mém. Couronn.* 8 Belgique Acad. Roy. (2) v. Not seen in the original.
- PICTET, A. 1938. La distribution géographique des organismes et le problèmes du transformisme. *C. R. Soc. Phys. Hist. Nat. Genève*, lv, pp. 99-101.
- 1940. *vide ABE*, 1942, p. 495.
- REGAN, C. T. 1902. *vide ABE*, 1949b, p. 136.
- REICHERT, E. 1919. A biochemical basis for the study of problems of taxonomy. Carnegie Inst. Washington, Publ., cclxx, pt. 1, pp. xi+376, 34 pls. Not seen in the original.
- RENSCH, B. 1924. Das Dépérésche Gesetz und die Regel von der Kleinheit der Inselformen als Spezialfall des Bergmanschen Gesetzes und die Erklärungsversuch derselben. *Zeitschr. indukt. Abstamm. u. Vererbungsl.*, xxxv, pp. 139-155.
- 1929. Das Prinzip geographischer Rassenkreise und das Problem der Artbildung. Berlin. Not seen in the original.
- 1933. Zoologische Systematik und Artbildungsproblem. Leipzig. Not seen in the original.
- ROBSON, G. C. 1928. *vide ABE*, 1944, p. 234.
- and RICHARDS, O. W. 1926. *vide ABE*, 1942, p. 495.
- RUNNSTRÖM, S. 1929. Weitere Studien über die Temperaturanpassung der Fortpflanzung und Entwicklung mariner Tiere. *Bergens Museums Årbok*, 1929, no. 10, pp. 1-46.
- 1933. Über die Rassenverhältnisse bei den Norwegischen Frühjahrshering mit besonderer Berücksichtigung der Konstanz der Rassenmerkmale. *Journ. Cons. Intern. Expl. Mer*, viii, pp. 235-249.
- 1936, *vide ABE*, 1944, p. 234.
- SCHMIDT, J. 1918. 1919. 1921. 1921a. 1929. 1930. *vide ABE*, 1942, p. 495.
- 1919a. La valeur de l'individu à titre de générateur appréciée suivant la méthode du croisement diallelique. *C. R. Trav. Lab. Carlsberg*, xiv, no. 6, pp. 1-34.
- SCHNAKENBECK, W. 1931. *vide ABE*, 1943. p. 495.
- SIMPSON, G. G. 1944. Tempo and mode of evolution, 237 pp. Not seen in the original.
- STARKS, E. C. 1926. Factors of fish classification. *Amer. Nat.*, lx, no. 666, pp. 82-94.

- SUMNER, E. B. 1915. 1915a. 1920. 1930. 1932. 1934. *vide ABE*, 1944, p. 234.
— 1924. The stability of subspecific characters under changed conditions of environment. Amer. Nat., lviii, pp. 481-505.
— 1929. The analysis of a concrete case of intergradation between two subspecies. Proc. Nat. Acad. Sci., U. S. A., xv, pp. 110-120.
- TANAKA, Y. 1934, 1937. Idengaku, 913 pp. Tokyo. In Japanese.
— 1938. Jin-i Totsuzen Hen-i, 2+5+195 pp. Tokyo. In Japanese.
- THILO, O. 1896. *vide ABE*, 1950-1951, p. 283.
— 1899. *vide ante*.
— 1914. *vide ABE*, 1942, p. 495.
- THOMPSON, D. H. 1935. Hybridization and racial differentiation among Illinois fishes. Illinois Nat. Hist. Survey, xx, art. 5, pp. 492-494.
- THORPE, W. H. 1930. Biological races in insects and allied group. Biol. Rev., v, pp. 177-212.
- TIMOFÉEFF-RESSOVSKY, N. W. 1937. Zur Frage über einen "direkten" oder "indirekten" Einfluss der Bestrahlung auf den Mutationsvorgang. Biol. Zentralbl., lvii, pp. 233-248.
- UVAROV, B. P. 1931. Insects and climate. Trans. Ent. Soc. London, lxxix, pp. 1-247, 40 tables. Not seen in the original.
- WAGNER, M. Die Entstehung der Arten durch räumliche Sonderung. Basel. Not seen in the original.
- WARREN, B. C. S. 1937. On the evolution of subspecies, as demonstrated by the alteration of variability existing in the subspecies of the genus *Erebia* (Lepidoptera). Proc. Linn. Soc. Lond., 149 sess., pt. 3, pp. 110-111.
- WHITE, W. S. 1945. The environmental conditions affecting the genetic mechanism of wing production in the *Ehrysanthemum* aphid. Amer. Nat., lxxx, no. 790, pp. 245-270. Not seen in the original.

CORRECTION

Page 35, line 6 from bottom. For *Torguigener* read *Torquigener*.

- 〃 39, " 7. For hes read has.
〃 42, " 12. For differs read differ.
〃 " last line. For *inemis* read *inermis*.
〃 43, line 3. For intermediath read intermediate.
〃 44, " 9 from bottom. For dilobed read bilobed.
〃 95, " 10 " For EATON, Jr. T. H. read EATON, T. H. Jr.
〃 " " 5 " For GEGENBAUR read GEGENBAUR.
〃 97, " 20. For mitteilunger read Mitteilungen.